

SHURE[®]

LEGENDARY
PERFORMANCE™

SUPER 55

Super 55

The Shure Super 55 Deluxe Vocal Microphone combines the vintage design of the original with a stunning upgrade in audio performance. The Super 55 features the signature chrome-plated die-cast body, redesigned name plate, striking blue foam windscreen, and a smooth frequency response for natural vocals.

The Super 55 is a high-output, dynamic vocal microphone designed for stage and studio. The supercardioid polar pattern ensures high gain before feedback, maximum isolation from other sound sources, and minimum off-axis tone coloration.

Performers and music enthusiasts will appreciate the timeless style and cultural significance of the Super 55. This microphone is ideal for stage, studio recording, podcasting, and other sound applications where a stand-mounted microphone with a classic look is desirable.

FEATURES

-
-
-
-
-
-
-

CARACTÉRISTIQUES

-
-
-
-
-
-
-
-

Il microfono per uso vocale Shure Super 55 Deluxe combina l'aspetto vintage dell'originale con prestazioni audio straordinariamente aggiornate. Il modello Super 55 presenta corpo pressofuso in cromo, targhetta rinnovata, antivento in schiuma poliuretanic di colore blu elettrico e risposta in frequenza regolare per un aspetto naturale dei segnali vocali.

Il modello Super 55 è un microfono dinamico ad uscita elevata per uso vocale, studiato per applicazioni sul palcoscenico ed in studio. Il diagramma polare supercardioide consente un guadagno maggiore a monte della retroazione, massimo isolamento da altre sorgenti sonore e minima colorazione dei suoni fuori asse.

Musicisti ed appassionati di musica apprezzeranno lo stile senza tempo ed il significato culturale del modello Super 55. Questo microfono è ideale per il palcoscenico, la registrazione in studio, il podcasting ed altre applicazioni che richiedono l'uso di un microfono di aspetto classico montato su sostegno.

CARATTERISTICHE

-
-
-
-
-
-
-
-

CARACTERISTICAS

- Supercardioide
-
-
-
-
-
-
-

SPECIFICATIONS
 CARACTÉRISTIQUES
 SPECIFICHE TECNICHE
 ESPECIFICACIONES
 TECHNISCHE DATEN

	EIA rated at 150 (290 actual)
	-53.0 dBV/Pa
	positive voltage on pin 2 with respect to pin 3

	EIA-Zulassung bei 150 (290 Istwert)
	-53,0 dBV/Pa
	positive Spannung an Pin 2 in Bezug auf Pin 3.
	Netto: 0,656kg (1,345b)

	Nominale EIA à 150 (290 réelle)
	-53,0 dBV/Pa
	broche 2 par rapport à la broche 3.

	clasificado por EIA a 150 (290 real)
	-53,0 dBV/Pa
	clavija 2 con respecto a la clavija 3


Valore nominale EIA 150 (290 effettivo)
-53,0 dBV/Pa
piedino 3.

	(
)
-	60 - 17 000
	150 (EIA) (290)
(1 ,)	-53,0 / 1 = 94
	² 3
	0,656

	60 17,000 Hz
	スーパーカーディオイド
	EIA 150 (290)
(1 kHz)	1 -53.0 dBV/Pa =94 dB SPL
	2 3
	: 0.656kg (1.45lb)

	60 17,000 Hz
	EIA 150 290
1 kHz)	1 -53.0 dBV/Pa =94 dB SPL
	2 3
	0.656 1.45

	()
	EIA 150 (290 actual)
(1 kHz,)	-53.0 dBV/Pa
	3 2
	: 0.656kg (1.45lb)



2004/108/EEC CE.
EN55103-1:1996 EN55103-2:1996 (E1)
(E2).

D-74078 Heilbronn, Germany ()
: +49 7131 72 14 0
: +49 7131 72 14 14
: EMEAsupport@shure.de

HOMOLOGATION

Autorisé à porter la marque CE. Conforme à la directive européenne CEM 2004/108/CE. Con-
forme aux normes harmonisées EN55103-1:1996 et EN55103-2:1996 pour les environnements

Phone: +49 7131 72 14 0
Fax: +49 7131 72 14 14

OMOLOGAZIONI

ACCESSORIES AND PARTS
 ACCESSOIRES ET PIÈCES
 ACCESSORI E PARTI DI RICAMBIO
 ACCESORIOS Y PIEZAS
 ZUBEHÖRTEILE

Optional Accessories

7.6 m (XLR-XLR) 7,6 (XLR-XLR) C25J

Replacement Parts

R115S

Accesorios opcionales

Sonderzubehör

7.6 m (25 ft) (XLR-XLR) C25J

Repuestos

Ersatzteile






Accessoires en option

Accessori in opzione

7.6 25 (XLR-XLR)

Pièces de rechange

Parti di ricambio





See More Microphone Selections Below
Indicate Preferences in Price of each
Microphone at Microphone Museum on 100



SHURE[®]

SHURE Incorporated <http://www.shure.com>

SHURE Incorporated <http://www.shure.com>

Shure Europe GmbH, Phone: 49-7131-72140
Fax: 49-7131-721414

Shure Europe GmbH, teléfono: 49-7131-72140
Fax: 49-7131-721414

Shure Asia Limited, Phone: 852-2893-4290
Fax: 852-2893-4055

Shure Asia Limited, teléfono: 852-2893-4290
Fax: 852-2893-4055

SHURE Incorporated <http://www.shure.com>

SHURE Incorporated <http://www.shure.com>

Shure Europe GmbH, Téléphone : 49-7131-72140
Télécopie : 49-7131-721414

Shure Europe GmbH, numero telefonico: 49-7131-72140
Fax: 49-7131-721414

Shure Asia Limited, Téléphone : 852-2893-4290
Télécopie : 852-2893-4055

Shure Asia Limited, numero telefonico: 852-2893-4290
Fax: 852-2893-4055